ATTENTION

This document is provided for historical purposes only.

Documents contained in the Washington Department of Fish and Wildlife Document & Publication Archive may contain dated and/or incorrect information. The WDFW Document & Publication Archive is provided as a service to those interested in the history of fish and wildlife management in Washington State.

Name	A	0	N	Location
Vesper sparrow	L	SR	*	Grasslands
Lark sparrow	L	SR M	٠	Open range during migration
Sage sparrow (Wash.				•
records limited to giant sagebrush.	L	SR M	*	Sagebrush flats
Dark-eyed junco	С	WM		Riparien brushy areas.
Tree sparrow	A	WM		Brushy areas
Chipping aparrow	С	SR M	*	Open woods
Clay-colored spar.	R	М		Hypothetical
Brewer's sparrow	L	SR	*	Sagebrush habitat
White-crowned sparrow	С	M		Sagebrush habitat
Golden-crowned sparrow	R	M		Brushy areas
White-throated	R	M		Fall migrant
Fox s ралтоw	U	M		Deciduous thickets
Lincoln's sparrow	R	M		
Swamp sparrow	н			
Song sparrow	С	R	*	Brushy habitat near water
Lapland longspur	R	WM		

References to abundance, seasonal occurrence and location for viewing the birds mentioned on this checklist are from Hickman's field work in the county, reports from wildlife agents, biologists, and other Department of Game personnel and the following publications:

Larrison and Sonnenberg, 1968. Washington Birds, Seattle Audubon Society.


Hudson and Yocum, 1954. A distribution list of birds of Southeastern Washington. Washington State University, Pullman XXII: #1

Weber and Larrison, 1977. Birds of Southeastern Washington. University of Idaho Press, Moscow, 83843.



STATE OF WASHINGTON DEPARTMENT OF GAME

A GUIDE TO THE BIRDS OF LINCOLN COUNTY



Compiled by Jerry Hickman Planning and Editing by Jack Adkins

Explanation of symbols used in this checklist:

Column A = Abundance

L-locally abundant

A-abundant

C-common

O-occasional

U-uncommon

R-rare

1-introduced

Column O = Seasonal Occurrence

M-migrant

R-resident

SR-summer resident

WR-winter resident

WM-winter migrant

Column N = The * under column N indicates the species nests in Lincoln

County.

Column L = Locations in Lincoln County
where each species has been
or can reasonably be expected
to be seen. For rare species
the date of a sighting is
included in this column.

Name	A	0	N	Location	Name	A	0	N	Location
LOONS					Common merganser	U	SFR	•	FDR Reservoir
Common loon	R	М		Keller Ferry	Red-breasted merganeer	R	WM		FDR Reservoir
GREBES					RAPTORS				
Red-necked	R	М		FDR Reservoir	Turkey vulture	U	M		Sprague area
Horned grebe	U	М	٠	Audubon Lake	Goshawk	U	WM		- -
Eared grebe	U	М	٠	Audubon Lake	Sharp-shinned hawk	C	M		Riparian winter
Western grebe	U	М		FDR Reservoir					habitet
Pied-billed grebe	C	SR	٠	Cattail marshes	Cooper's hawk	U	R		Timbered area
Marie Marie				0	Red-tailed hawk	C	SA	•	Entire county
White pelican				Sprague Lake	Swainson's hawk	Ō	SR	•	Western part of county
HERONS					American rough-leg	C	WR		South Creaton
Great blue	C	SR	•	Any streem (at least	Ferruginous hawk	R	SR	•	Sylvan Lake area
				one rookery at upper	Golden eagle	U	SR	٠	Nests along FDR
.	_		_	end Twin Lake)					where Hwy. 231
Black-crowned	R	SR	•	Sprague Lake &					CIDOSSO.
American bibboss	U	ć.		upper end Twin Lake	Bald eagle	U	WR		Spokane River
American bittern	υ	\$R	•	Sprague, Mondovi Cattail marshes	Marsh hawk	C	SR WR	•	Any grassland habitat
SWANS					Osprey	0	SR		Two nests located on
Whistling	0	м		Audubon Lake			•		Spokane R. below
Trumpeter	ĭ	***		A colony at Turnbull					Long Lake dem.
	-			NWR, Spokane Co.	Gyrtalcon	R	WM		Open country
					Prairie falcon	R	SR	*	Crab Creek east of
GEESE									Odessa.
Honker (western)	C	SR	*	Duck Lake	Peregrine falcon	R	WM		S.E. Creston Rd. &
Lesser	C	WR		Coffee Pot Lake					along Seven Spring
Cackling	0	WR		Coffee Pot Lake					Rd. (between Creston
White-fronted	U	М		Creston potholes	B.4 10				& Flocklyn)
Snow	U	М		Creston potheles	Merlin	C	WM		Open areas
Roas	Ħ	М		Creston potholes	Kestrel (sparrow hawk)	C	SR	•	Grassiands
DUCKS					GALLINACEOUS BIRDS				
Mallard	A	SR	*	Central Lincoln Co.	Blue grouse	U	Ħ	*	Lillenthal Mtn. &
.			_	potholes.			_	_	northern breeks.
Gadwall	U	SR	•		Ruffed grouse	U	M	*	Riperten shrub area
Pintail Green-winged Teal	C	M SR			Columbian sharptalled grouse		R		Talland a
Green-winged real Blue-winged Teal	C	SR	*		Sage grouse	L	R		Tefford area
Cinnamon Teal	Č	SR	è		Valley quali	Ü	ī		Creston erea Riperien habitet
American widgeon	č	SR		•	Ring-necked pheasant	č	i		Govern, Almira
European widgeon	Ř	м		Audubon Lake	Chukar partridge	ŭ	i	٠	Crab Creek near
Shoveler	Ċ	SR		Central potholes		•	•		Lamone, Merlin
Wood duck	ŭ	М		Sprague Lake	Gray partridge	C	1	•	Stubble fields & sage
Redhead	C	SR		Central potholes					lands
Ring-necked duck	U	SR		Central potholes	Wild turkey	R	1	*	Indian Creek
Canvasback	U	SR		Central potholes	CRANES				
Lesser scaup	C	М		Sprague Lake	Sandhill	0	м		Spring & fall staging
Common goldeneye	C	М		Spokane River					- Rock Cr. so. of
Barrow's goldeneye	C	WM	_	FDR Reservoir					Edwall
Bufflehead	C	M	٠	Central potholes	RAILS				
White-winged Scoter	R	M		FDR Reservoir	Virginia rail	O	SR	*	Audubon Lake
Ruddy duck	C	SR	*	Audubon Lake	Sora	Ü	SR	•	Cattail marshes
Hooded merganser	U	M		Sprague Lake	Coot (American)				

-

Name	^	0	N	Location	Name	A	0	N	Location
PLOVERS				-	Great-horned	C	R	٠	Telford, Irby
Kildeer	С	SR	•	Bluestem Creek	Sпоwy	0	WM		Mondovi
Semipalmated	0	M			Pygmy	0			Visitor
American golden	R	М			Burrowing	L	SR	٠	Neata in Davenport
Black-bellied	R	М							eres.
Wilson's anipe	C	SR	*	Bluestem Creek	Long-eared	U	\$R	٠	Neste in WDG habital
Ruddy turnstone	Н			One seen Audubon Lk., Aug. 1960	Short-eared				plots near Davenport. This mobile specie
Long-billed curlew	L	SR	•	East & so. of Sprague					will concentrate nesting in areas of
Spotted sendpiper	С	SR	*	Most ponds & streams					high rodent population — Davenport, 1979.
Solitary sandpiper	A	м		30 64013	Saw-whet	н			Timbered press
Greater yellowlegs	C	M		Audubon Lake					
Lesser yellowlegs	č	M		Audubon Lake	GOATSUCKERS				
Willet	H			Seen at Audebon Lk.	Common nighthawk	С	SR	•	Sagebrush areas
				Aug. 60 & 71	Poor-will	U	М		•
Knot	н			Seen in 73 & 78					
Sanderling	Н			Seen at Audubon Lk.	SWIFTS				
_				in 1958	Vaux's	0	M		
Least sandpiper	C	M		Audubon Lake	White-throated	U	M		
Semipalmated	R	М		Swanson's Lake	*****				
Western sandpiper	С	М		Audubon Lake	HUMMERS				
White-rumped sandpiper	н			Reardain, 1962	Black-chinned	R	SR		Timbered areas
Pectoral sandpiper	A	M			Rufous	C	М		
Long-billed dowitcher	U	M			Calliope	C	SR		Harte Fload
Buff-breasted sandpiper	Н			Seen at Reardan,	YMOEVUTOO				
				Audubon Lk. 1962	KINGFISHERS				
Marbled godwit	R	М			Beited	C	SR	•	Hawk Creek
American avocet	L	ŚR	•	Swanson Lakes	WOODPECKERS				
Black-necked stilt	Н			Reardan 1982	Common flicker		_		
PHALAROPES					Pileated	AR	R	•	
Red				D. 1 4000	Lewis'	Ŀ	SR	*	Takand MIN Ca
meu Wilson's	H	SR		Reardan 1982	Yellow-bellied sapsucker	R	on		Telford, MIN Cr.
***********	·	ЭН	•	Potholes near	Hairy	Ü	SR		
Northern	U	М		Sprague	Downy	Ŭ	R		
Long-tailed ineger	H	144		Reardan 1957	White-headed	H	••		Lillenthal Mtn.
•	- "			Mealdan 1907	Black-backed, 3-toed	H			Lilienthal Mtm.
GULLS					Northern, 3-toed	H			Litionthal Mtn.
Herring	R	М			FLYCATCHERS	••			
California	R			Visitor		_		_	
Ring-billed	C	SR	*	Sprague Lake	Eastern kingbird	C	SR	•	Sprague Lake
Franklin's gull	R	M		Reardan 1960	Western kingbird Ash-throated	C	SR		Spregue Lake
Bonaparte'a	A	М		Sprague Lake	Asn-throated Trails	Н		•	Grab Cr. near Odessa
Forster's tern	R			Visitor					
Black tem			*	Central potholes	Dusky Western				
DOVES							00	•	Hands Const.
Rock dove	C	R	٠	Many barns	Say's phoebe Western wood pewee	U	SR		Hawk Creek
Mourning dove	C	SR	•	All over county	Horned lark	Ç	R		Wheatfloids
OWLS					SWALLOWS	-	••		
Screech	U	R	•	Young have been	Violet-preen	C	М	٠	
				seen in Devenport &	Tree	5	SA		
				on Indian Cr.	Tree				

Name		0	N	Location	Name	A	0	N	Location
Bank	L	SR			STARLINGS				
Rough-winged	ō	М			Starling	C	М		
	_	SR			-		R	*	Everywhere
Barn	С	ŞR							
Cliff	С	SR	•		VIREO\$				
					Solitary	С	M		Hawk Creek
JAYS					Red-eyed	U	М		Lakes & marshes
Stellar's	£	R	٠	Indian Creek	Warbling	U	M		Wooded areas
Black-billed magpie	C	R	*	Hawk Creek	WOOD WARM FRO				
Common raven	С	R		Creston	WOOD WARBLERS				
Crow	U	М			Orange-crowned	U	М		Timbered areas
Clark's nutcracker	О	R	*	Lilienthal	Nashville	U	М		
A.104.5.250					Yellow	С	M	_	
CHICKADEES						_	SR	•	Crab Creek
Black-capped	L	WR			Yellow-rumped	C	М		Wooded areas
Mountain	R	M		1	Townsend's	U	М		Timbered areas
Chestnut-backed	R	M			McGillivray's	U	М		Deciduous thickets
AU PORTA TALL					Common yellow-throat	L	SR		Brushy areas near
NUTHATCH									water.
White-breasted				Expanding range	Yellow-breasted chat	L	SR	*	Riparian habitet
Red-breasted	С	R	*	Woods	Wilson's				Willow thickets
Pygmy	C	R	•	P. pine forests	WEAVER EMOUSE				
Brown creeper	U	B		Forests	WEAVER FINCHES				
Dipper	L	WR		Hawk Creek falls	House sparrow	С	R	•	Towns, grain elevators
WRENS					BLACKBIRDS				·
House	L	R	*	Cottonwood Creek	Bobolink	R	м		Graeslanda
Winter				Riparian habitat	Western meadowlark	Ĉ	R	*	Most grasslands
Long-billed marsh	L	SR	*	Cattail marshes	Yellow-headed	Ĺ	SR		Audubon Lake
Canon	L	SR	*	Sprague-Rocky	Red-winged	Ä	R		Hawk Creek
				Canyon	Northern oriole	Û	SR	*	indian Creek
Rock	L	SR		Twin Lakes talus	Brewers blackbird	Ă	SR	*	Reardan
Cathird	R	٧		Riparian habitat	Cowbird	î	SR	*	Agricultural areas
Sage thrasher	L	SR	*	Seven-Springs area &	Western tanager	ī	SR		Timbered areas
				sagebrush habitaf	Western Lanager	_	ЭH		INIDEIAN GLAGS
THRUSHES					FRINGILLIDAE				
	_		•		Black-headed grosbeak	L	M	_	Timbered area
American robin	С	M SIR	•	0	Lazuli bunting	L	SR	•	Brushy areas
Varied	U	WM		Common	Evening grosbeak	L	WR		
Variou Hermit	_	AAMI		Creek bottoms	Cassin's purple finch	L	SR	•	Conifer timbered are
	H	SR		Migrant	Common house finch	C	SR	•	Nests near towns
Swainson's	R			Lilienthal Mtn.	Rosy finch	U	WM		Often seen in winter
Western bluebird	C	M		Milicreek					flocks in cattle feed
Mountain bluebird	c	SR		Mondovi Crob Croads					iots.
Townsend's solitaire	R	М		Crab Creek	Common redpoll	Ū	WM		Northern part
KINGLETS					Pine siakin	A	M	٠	Timbered areas
Golden-crowned	U	WM		Brush areas	Goldfinch	C	SR	•	Lower elevations
Ruby-crowned	U	WM			Red crossbill	?			North part county -
,	-			Brushy habitat	A	_			timbered areas.
Water pipit	ñ	M		Open flats	White-winged crossbill	?		_	Timbered areas
Bohemian waxwing	Ç	W M		Davenport	Rufus-sided towhee	Ü	SR	-	Indian Creek
Cedar waxwing				Creaton	Savannah eparrow	С	M	•	Grasslands &
Northern	Č	WR		Creston			SR	_	eagebresh
Loggerhead	С	SR		Creston	Grasshopper sparrow	L	SR	•	Open rende country

+ 4